



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 18-Nov-2019

Revision Date: 21-Nov-2019

Revision Number: 2

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name	ROSCO COLOR COAT FLAT BLACK
Product Code	RF5635
Alternate Product Code	XG4280
Product Class	Water thinned paint
Color	Black
Recommended use	Paint
Restrictions on use	No information available

Roscolab Limited

Blanchard Works
Kangley Bridge Road
Sydenham
London SE26 5AQ
Phone: +44 (0) 20 8659 2300 (Monday - Friday, 9 am to 5 pm GMT)
Email: info.emea@rosco.com

Rosco Laboratories Inc.

52 Harbor View Avenue
Stamford, CT 06902, USA
Phone: (203)-708-8900
www.rosco.com

Emergency Telephone

CHEMTREC: +1-703-741-5970
CHEMTREC (United Kingdom Local Number): +44-870-8200418

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS)

2.2. Label elements

Product Identifier

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS)
EUH210 - Safety data sheet available on request

2.3. Other hazards

General Hazards No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Not applicable

3.2 Mixtures

Chemical name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Talc	238-877-9	14807-96-6	>=1 - <5		Not available
Magnesium carbonate	208-915-9	546-93-0	>=1 - <5		Not available
2-Butoxyethanol	203-905-0	111-76-2	>=1 - <5	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Skin Irrit. 2 (H315) Acute Tox. 4 (H332) Eye Irrit. 2 (H319) STOT SE 3 (H335)	Not available
Carbon black	215-609-9	1333-86-4	>=1 - <5		Not available

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES**4.1. Description of first aid measures****Description of first aid measures**

General Advice	No hazards which require special first aid measures.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Ingestion	Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects None known.

4.3. Indication of any immediate medical attention and special treatment needed

Notes To Physician

Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES**5.1. Extinguishing media****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available.

5.2. Special hazards arising from the substance or mixture**Specific Hazards Arising From The Chemical**

Closed containers may rupture if exposed to fire or extreme heat.

Sensitivity to static discharge

No

Sensitivity to mechanical impact

No

5.3. Advice for firefighters**Protective equipment and precautions for firefighters**

Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES**6.1. Personal precautions, protective equipment and emergency procedures****Personal Precautions**

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

Other Information

Observe all relevant local and international regulations.

6.2. Environmental precautions**Environmental precautions**

Prevent spreading of vapors through sewers, ventilation systems and confined areas.

6.3. Methods and material for containment and cleaning up**Methods for Containment**

Absorb with inert material and place in suitable container for disposal.

Methods for Cleaning Up

Clean contaminated surface thoroughly.

6.4. Reference to other sections**Other information**

See Section 12 for additional information.

Section 7: HANDLING AND STORAGE**7.1. Precautions for safe handling**

Handling Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.

Hygiene Measures Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed. Keep out of the reach of children.

7.3. Specific end use(s)

Specific Uses Architectural coating. Apply as directed. Refer to product label / literature for specific instructions.

Risk Management Methods (RMM) Not Applicable.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical name	European Union	Belgium	Bulgaria	Cyprus	France	Ireland	
Talc 14807-96-6	-	TWA: 2 mg/m ³	TWA: 1.0 fiber/cm ³ TWA: 6.0 mg/m ³ TWA: 3.0 mg/m ³	-	-	TWA: 10 mg/m ³ TWA: 0.8 mg/m ³ STEL: 30 mg/m ³ STEL: 2.4 mg/m ³	
Magnesium carbonate 546-93-0	-	-	-	-	TWA: 10 mg/m ³	-	
2-Butoxyethanol 111-76-2	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ S*	STEL: 50 ppm STEL: 246 mg/m ³ TWA: 20 ppm TWA: 98 mg/m ³ skin	Potential for cutaneous absorption TWA: 20 mg/m ³ TWA: 98 ppm STEL: 50 ppm STEL: 246 mg/m ³ S*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ S*	TWA: 10 ppm TWA: 49 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Risk of cutaneous absorption	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ skin	
Carbon black 1333-86-4	-	TWA: 3.5 mg/m ³	-	-	TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³	
Chemical name	Germany	Greece	Hungary	Iceland	Italy	Latvia	
Talc 14807-96-6	-	TWA: 10 mg/m ³ TWA: 2 mg/m ³	TWA: 2 mg/m ³	-	-	-	
2-Butoxyethanol 111-76-2	TWA: 10 ppm TWA: 49 mg/m ³	TWA: 25 ppm TWA: 120 mg/m ³ S*	STEL: 246 mg/m ³ TWA: 98 mg/m ³ potential for cutaneous absorption	20 ppm TWA 100 mg/m ³ TWA 25 ppm TWA 50 ppm STEL 246 mg/m ³ STEL Skin	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ pelle*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ S*	
Carbon black 1333-86-4	-	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³	-	3.5 mg/m ³ TWA	-	-	
Chemical name	Lithuania	Netherlands	Poland	Romania	Spain	Sweden	United Kingdom
Talc 14807-96-6	TWA: 2 mg/m ³ TWA: 1 mg/m ³	TWA: 0.25 mg/m ³	TWA: 4.0 mg/m ³ TWA: 1.0 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TLV: 2 mg/m ³ TLV: 1 mg/m ³	TWA: 1 mg/m ³ STEL: 3 mg/m ³
Magnesium carbonate 546-93-0	TWA: 10 mg/m ³	-	-	-	-	-	-
2-Butoxyethanol 111-76-2	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 20 ppm STEL: 100 mg/m ³	Skin STEL: 246 mg/m ³ TWA: 100 mg/m ³	TWA: 98 mg/m ³ STEL: 200 mg/m ³	TWA: 30 ppm TWA: 150 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 245 mg/m ³	TLV: 10 ppm TLV: 50 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³	TWA: 25 ppm TWA: 123 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³

	S*			S*	S*	skin	
Carbon black 1333-86-4	-	-	TWA: 4.0 mg/m ³	-	TWA: 3.5 mg/m ³	TLV: 3 mg/m ³	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³

8.2. Exposure controls

Occupational exposure controls

Engineering Measures	Ensure adequate ventilation, especially in confined areas.
<u>Personal Protective Equipment</u>	
Respiratory Protection	In case of insufficient ventilation wear suitable respiratory equipment.
Eye Protection	Safety glasses with side-shields.
Skin Protection	Lightweight protective clothing.
Hand protection	Impervious gloves.
Hygiene Measures	Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	liquid
Odor	little or no odor
Odor Threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks/ Method</u>
Density (g/L)	1138 - 1186	None known
Relative Density	1.13 - 1.19	None known
pH	No information available	None known
Viscosity (cps)	No information available	None known
Solubility(ies)	No information available	None known
Water solubility	No information available	None known
Evaporation Rate	No information available	None known
Vapor pressure	No information available	None known
Vapor density	No information available	None known
Wt. % Solids	40 - 50	None known
Vol. % Solids	30 - 40	None known
Wt. % Volatiles	50 - 60	None known
Vol. % Volatiles	60 - 70	None known
Boiling Point (°C)	100	None known
Freezing Point (°C)	0	None known
Melting Point (°C)	No information available	None known
Pour Point	No information available	None known
Flash Point (°C)	Not applicable	None known
Flammability (solid, gas)	No information available	None known
Upper flammability limit:	No information available	None known
Lower flammability limit:	No information available	None known
Autoignition Temperature (°C)	No information available	None known

Decomposition Temperature (°C)	No information available	None known
Partition coefficient	No information available	None known
Explosive properties	No information available	None known
Oxidizing Properties	No information available	None known

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Not Applicable.

10.2. Chemical stability

Chemical Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal conditions of use.

10.4. Conditions to avoid

Conditions to avoid Prevent from freezing.

10.5. Incompatible materials

Incompatible Materials No materials to be especially mentioned.

10.6. Hazardous decomposition products

Hazardous Decomposition Products None under normal conditions of use.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin contact	There is no data available for this product.
Ingestion	There is no data available for this product.

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal)	60,049.80 mg/kg
ATEmix (inhalation-vapor)	829.40 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-Butoxyethanol 111-76-2	= 1300 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 4.9 mg/L (Rat) 3H
Carbon black 1333-86-4	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	

Skin corrosion/irritation	No information available.
Eye damage/irritation	No information available.
Sensitization	No sensitizing effects known.
Mutagenic Effects	No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	IARC
Carbon black 1333-86-4		2B - Possible Human Carcinogen

Legend

IARC - International Agency for Research on Cancer

Reproductive Effects	No information available.
Developmental Effects	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Neurological Effects	No information available.
Target organ effects	No information available.
Symptoms	No information available.
Aspiration Hazard	No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated

Chemical name	Algae/aquatic plants	Fish	Crustacea
Talc 14807-96-6		LC50 > 100 g/L Brachydanio rerio (96 h)	
2-Butoxyethanol 111-76-2		LC50 = 1490 mg/L Lepomis macrochirus (96 h) LC50 = 2950 mg/L Lepomis macrochirus (96 h)	EC50 1698 - 1940 mg/L (24 h) EC50 > 1000 mg/L (48 h)
Carbon black 1333-86-4			EC50 > 5600 mg/L (24 h)

12.2. Persistence and degradability

Persistence / Degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

Chemical name	Partition coefficient
2-Butoxyethanol 111-76-2	0.81

12.4. Mobility in soil

Mobility in soil No information available.

Mobility in Environmental Media No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Talc 14807-96-6	The substance is not PBT / vPvB
Magnesium carbonate 546-93-0	The substance is not PBT / vPvB PBT assessment does not apply
2-Butoxyethanol 111-76-2	The substance is not PBT / vPvB
Carbon black 1333-86-4	The substance is not PBT / vPvB PBT assessment does not apply

12.6. Other adverse effects

Other adverse effects No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products Dispose of in accordance with the European Directives on waste and hazardous waste.

Contaminated Packaging Empty containers should be taken for local recycling, recovery or waste disposal.

EWC waste disposal No No information available

Other Information Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG Not regulated

RID Not regulated

<u>ADR</u>	Not regulated
<u>ADN</u>	Not regulated
<u>IATA</u>	Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Talc 14807-96-6	RG 25
2-Butoxyethanol 111-76-2	RG 84
Carbon black 1333-86-4	RG 16, RG 16bis

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AICS	No - Not all of the components are listed.
DSL: Canada	No - Not all of the components are listed. One or more component is listed on NDSL.
EINECS: European Union	No - Not all of the components are listed.
ENCS	No - Not all of the components are listed.
IECSC	No - Not all of the components are listed.
KECL	No - Not all of the components are listed.
PICCS	No - Not all of the components are listed.
TSCA: United States	Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
IECSC - China Inventory of Existing Chemical Substances
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical safety assessment

Chemical Safety Report No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

H312 - Harmful in contact with skin
H315 - Causes skin irritation
H319 - Causes serious eye irritation
H332 - Harmful if inhaled
H335 - May cause respiratory irritation

Classification procedure:	Expert judgment and weight of evidence determination
Key literature references and sources for data	Data from internal and external sources
Prepared By	Product Stewardship Department Rosco Laboratories Inc. 52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900
Issuing Date	18-Nov-2019
Revision Date:	21-Nov-2019
Revision Summary	Initial Release

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet